

Subfamily	Lineage	Genera	Species	Species common name	Subspecies	Distribution
Pantherinae	Panthera	<i>Panthera</i>	<i>leo</i>	Lion	<i>P. l. leo</i> (Linnaeus, 1758)	C and W Africa and India; formerly throughout N Africa, SE Europe, the Middle East, Arabian Peninsula, SW Asia.
					<i>P. l. melanochaita</i> (Hamilton Smith, 1842)	S and E Africa.
			<i>onca</i> (Linnaeus, 1758)	Jaguar		Central and South America, from Arizona to N Argentina.
			<i>pardus</i>	Leopard	<i>P. p. pardus</i> (Linnaeus, 1758)	Africa
					<i>P. p. nimr</i> (Hemprich and Ehrenberg, 1832)	Arabian Peninsula
					<i>P. p. delacouri</i> Pocock, 1930	SE Asia and probably S China
					<i>P. p. fusca</i> (Meyer, 1794)	Indian subcontinent, Burma and China
					<i>P. p. kotiya</i> Deraniyagala, 1949	Sri Lanka
					<i>P. p. melas</i> (Cuvier, 1809)	Java
					<i>P. p. orientalis</i> (Schlegel, 1857)	E Asia from Russian Far East to China
					<i>P. p. tulliana</i> (Valenciennes, 1856)	Turkey, Caucasus, Turkmenistan, Uzbekistan, Iran, Iraq, Afghanistan and Pakistan
		<i>Neofelis</i>	<i>tigris</i>	Tiger	<i>P. t. tigris</i> (Linnaeus, 1758)	Mainland Asia, including India, Pakistan, Nepal, Bhutan, Sikkim, China, Russia, Indochina and the Malay Peninsula
			<i>P. t. sondaica</i> (Temminck, 1844)	Sumatra and formerly Java and Bali		
			<i>uncia</i> (Schreber, 1775)	Snow leopard		C Asia, Himalayas and Tibet
			<i>diardi</i>	Sunda clouded leopard	<i>N. d. diardi</i> (Cuvier, 1923)	Sumatra and Batu Islands
					<i>N. d. borneensis</i> Wilting et al., 2011	Baram, Sarawak, Borneo
Felinae	Caracal	<i>Caracal</i>	<i>nebulosa</i> (Griffith, 1821)	Mainland clouded leopard		Mainland Asia from Nepal, NE India, China, SE Asia, Taiwan and Hainan
			<i>aurata</i>	African golden cat	<i>C. a. aurata</i> (Temminck, 1827)	E and C Africa as far W as the River Congo
					<i>C. a. celidogaster</i> (Temminck, 1827)	W Africa W of Cross River
		<i>caracal</i>			<i>C. c. caracal</i> (Schreber, 1776)	S and E Africa
					<i>C. c. nubicus</i> (J. B. Fischer, 1829)	N and W Africa
	Leopardus	<i>Leptailurus</i>			<i>C. c. schmitzi</i> (Matschie, 1912)	Middle East to India
			<i>serval</i>	Serval	<i>L. s. serval</i> (Schreber, 1777)	S Africa
					<i>L. s. constantina</i> (Forster, 1780)	W and C Africa
		<i>Leopardus</i>			<i>L. s. lipostictus</i> (Pocock, 1907)	E Africa
	Ocelot		<i>colocola</i>	Pampas cat	<i>L. c. colocola</i> (Molina, 1782)	C Chile W of Andes
					<i>L. c. braccatus</i> (Cope, 1889)	SW and C Brazil, Paraguay
					<i>L. c. munroai</i> (Ximinez, 1961)	Uruguay
					<i>L. c. budini</i> (Pocock, 1941)	NW Argentina and Bolivia E of Andes

Subfamily	Lineage	Genera	Species	Species common name	Subspecies	Distribution
					<i>L. c. garleppi</i> (Matschie, 1912)	S Colombia, Ecuador, Peru E of Andes
					<i>L. c. pajeros</i> (Desmarest, 1816)	C, NC and S Argentina
					<i>L. c. wolffsohni</i> (Garcia-Perea, 1994)	Tarapacá province, N Chile W of Andes
			<i>geoffroyi</i> (d'Orbigny & Gervais, 1844)	Geoffroy's cat		S South America from Bolivia to Patagonia
			<i>guigna</i>	Guiña	<i>L. g. guigna</i> (Molina, 1782)	S Chile (38° to 48° S) and SW Argentina (39° to 46° S).
					<i>L. g. tigrillo</i> (Schinz, 1844)	N and C Chile (30° to 38° S).
			<i>guttulus</i> (Hensel, 1872)	Southern tigrina		SE and S Brazil, N Argentina and probably Paraguay
			<i>jacobita</i> (Cornalia, 1865)	Andean cat		Andes from S Argentina and Chile to Bolivia and C Peru
			<i>pardalis</i>	Ocelot	<i>L. p. pardalis</i> (Linnaeus, 1758)	from Texas and Arizona south to Costa Rica
					<i>L. p. mitis</i> (Cuvier, 1820)	South America as far S as N Argentina
			<i>tigrinus</i>	Northern tigrina	<i>L. t. tigrinus</i> (Schreber, 1775)	N South America possibly as far S as Bolivia and N Argentina
					<i>L. t. oncilla</i> (Thomas, 1903)	Costa Rica and possibly Panama
			<i>wiedii</i>	Margay	<i>L. w. wiedii</i> (Schinz, 1821)	South America S of the Amazon
					<i>L. w. glauculus</i> (Thomas, 1903)	C America
					<i>L. w. vigens</i> (Thomas, 1904)	South America N of the Amazon
Bay cat	<i>Catopuma</i>	<i>badia</i> (Gray, 1874)	Borneo bay cat			Sarawak, Borneo
		<i>temminckii</i>	Asiatic golden cat	<i>C. t. temminckii</i> (Vigors & Horsfield, 1827)		Sumatra and the Malay Peninsula
						From Nepal to N Burma, China, Tibet and SE Asia
	<i>Pardofelis</i>	<i>marmorata</i>	Marbled cat	<i>P. m. marmorata</i> (Martin, 1837)		Borneo, Sumatra, Malay Peninsula S of Isthmus of Kra and S Thailand
				<i>P. m. longicaudata</i> (Blainville, 1843)		Nepal to Assam, Bangladesh, SE Asia N of the Isthmus of Kra
Lynx	<i>Lynx</i>	<i>canadensis</i> (Kerr, 1792)	Canada lynx			Canada, Alaska and N USA
		<i>lynx</i>	Eurasian lynx	<i>L. l. lynx</i> (Linnaeus, 1758)		Scandinavia, Finland, Baltic States, Belarus, European part of Russia E to the Yenissei River
				<i>L. l. balcanicus</i> Bureš, 1941		The Balkans and possibly Greece; possibly a synonym of <i>L. l. dinniki</i>
				<i>L. l. carpathicus</i> Heptner, 1972		E and C Europe
				<i>L. l. dinniki</i> Satunin, 1915		The Caucasus, Asia Minor, Iran, Iraq
				<i>L. l. isabellinus</i> (Blyth, 1847)		C Asia including the Himalayas and Tibet
				<i>L. l. wrangeli</i> Ognev, 1928		E of the Yenissei River to China?
		<i>pardinus</i> (Temminck, 1827)	Iberian lynx			Iberian Peninsula

Subfamily	Lineage	Genera	Species	Species common name	Subspecies	Distribution
Puma	Puma	<i>rufus</i>	Bobcat	<i>L. r. rufus</i> (Schreber, 1777)	E of the Great Plains, North America	
				<i>L. r. fasciatus</i> (Rafinesque, 1817)	W of the Great Plains, North America	
		<i>concolor</i>	Puma	<i>P. c. concolor</i> (Linnaeus, 1771)	South America, possibly excluding W of Andes in north	
				<i>P. c. couguar</i> (Kerr, 1792)	North and Central America, possibly N South America W of Andes	
		<i>Acinonyx</i>	Cheetah	<i>A. j. jubatus</i> (Schreber, 1775)	S and E Africa	
				<i>A. j. hecki</i> Hilzheimer, 1913	W and N Africa	
				<i>A. j. soemmeringii</i> (Fitzinger, 1855)	NE Africa	
				<i>A. j. venaticus</i> (Griffith, 1821)	SW Asia and India	
	<i>Herpailurus</i>	<i>yagouaroundi</i> (É. Geoffroy Saint-Hilaire, 1803)	Jaguarundi		C and S America	
Leopard cat	Prionailurus	<i>bengalensis</i>	Mainland leopard cat	<i>P. b. bengalensis</i> (Kerr, 1792)	S Asia from Pakistan to China and including probably the Malay Peninsula	
				<i>P. b. euptilurus</i> (Elliot, 1871)	Manchuria, Russian Far East, Taiwan, Iriomote Island, Tsushima Island	
		<i>javanensis</i>	Sunda leopard cat	<i>P. b. javanensis</i> (Desmarest, 1816)	Java and Bali	
				<i>P. b. sumatrana</i> (Horsfield, 1821)	Sumatra, Borneo, and Palawan, Negros, Cebu and Panay, the Philippines	
		<i>planiceps</i> (Vigors & Horsfield, 1827)	Flat-headed cat		Borneo, Sumatra, Malay Peninsula, Thailand, Burma	
		<i>rubiginosus</i>	Rusty-spotted cat	<i>P. r. rubiginosus</i> (I. Geoffroy Saint-Hilaire, 1831)	India and Nepal	
				<i>P. r. koladivius</i> Deraniyagala, 1956	Lowland dry zone of E Sri Lanka	
				<i>P. r. phillipsi</i> Pocock, 1939	Wet forest zone of Sri Lanka	
	Otocolobus	<i>viverrinus</i>	Fishing cat	<i>P. v. viverrinus</i> (Bennett, 1833)	India, Sri Lanka, Pakistan, Bangladesh, Indochina, Nepal, and possibly Bhutan	
				<i>P. v. rhizophoreus</i> Sody, 1936	Java	
		<i>manul</i>	Pallas's cat	<i>O. m. manul</i> (Pallas, 1776)	China (Gansu), Mongolia, C Asia and Kazakhstan, S Siberia, Iran, Afghanistan and Pakistan	
				<i>O. m. nigripictus</i> (Hodgson, 1842)	Tibet, Kashmir, Nepal and Bhutan	
Domestic cat	Felis	<i>bieti</i> Milne-Edwards, 1892	Chinese mountain cat		Provinces of Qinghai, Sichuan and possibly Gansu, China	
		<i>catus</i> Linnaeus, 1758	Domestic cat		Worldwide, except Antarctica	
		<i>chaus</i>	Jungle cat	<i>F. c. chaus</i> Schreber, 1777	Egypt and the Middle East to Turkestan, Uzbekistan, Kazakhstan and Afghanistan	

Subfamily	Lineage	Genera	Species	Species common name	Subspecies	Distribution
					<i>F. c. affinis</i> Gray, 1830	E Afghanistan, Indian subcontinent and Sri Lanka
					<i>F. c. fulvidina</i> Thomas, 1928	SE Asia, possibly including China
			<i>lybica</i>	Afro-Asiatic wildcat	<i>F. l. lybica</i> Forster, 1780	E, W and N Africa, Arabian Peninsula, Middle East, Corsica, Sardinia and Crete; probably intergrades with <i>ornata</i> in Iraq
					<i>F. l. cafra</i> Desmarest, 1822	S Africa; exact boundary with <i>lybica</i> uncertain, but may lie in Mozambique or Tanzania
					<i>F. l. ornata</i> Gray, 1830	SW and C Asia, Afghanistan, Pakistan, India, Mongolia and China
			<i>margarita</i>	Sand cat	<i>F. m. margarita</i> Loche, 1858	N Africa
					<i>F. m. thinobia</i> Ognev, 1927	SW Asia and the Arabian Peninsula
			<i>nigripes</i> Burchell, 1824	Black-footed cat		S Africa
			<i>silvestris</i>	European wildcat	<i>F. s. silvestris</i> Schreber, 1777	Europe, including Scotland, Sicily and Crete
					<i>F. s. caucasica</i> Satunin, 1905	Caucasus, Turkey