

## Ocelot (*Leopardus pardalis*)

### Reference List

1. Abreu K. C., Moro-Rios P. F., Silva-Pereira J. E., Miranda J. M. D., Jablonski E. F. & Passos F. C. 2008. Feeding habits of ocelot (*Leopardus pardalis*) in Southern Brazil. *Mammalian Biology* 73, 407–11.
2. Adams D. B. & Kitchen D. M. 2018. Experimental evidence that titi and saki monkey alarm calls deter an ambush predator. *Animal Behaviour* 145, 141–147.
3. Adrados B., Zanin M., Silveira L., Villalv P., Chávez C., Keller C., González-Borrado N., Harmsen B. J., Rubio Y. & Palomares F. 2019. Non-invasive genetic identification of two sympatric sister-species: ocelot (*Leopardus pardalis*) and margay (*L. wiedii*) in different biomes. *Conservation Genetics Resources* 11, 203–217.
4. Aguilar R. E. G., Hernandez M. J. P., Santos R. R., Rosas-Rosas O. & Gervacio C. G. 2019. Cambio de uso de suelo, fragmentación del paisaje y la conservación de *Leopardus pardalis* Linnaeus, 1758. *Revista Mexicana de Ciencias Forestales* 10(52), 149–169.
5. Alves da Rosa C. & Souza A. C. 2017. Large and medium-sized mammals of Nova Baden State Park, Minas Gerais, Brazil. *Check List* 13(3), 2141.
6. Alves J. D. B. T. 2016. Como diferentes usos do solo afetam a densidade de jaguatiricas (*Leopardus pardalis*) no Pantanal (Brasil)? Universidade Federal do Rio Grande do Sul.
7. Alves V. N., Maia C. M., Alves T. R & Fonesca R. C. B. 2019. Medium and large sized mammals in an Atlantic Forest fragment of Brazil: recording of threatened species. *Journal of Threatened Taxa* 11(3), 13278–13286.
8. Andrews C. J. 2019. Reproductive biology of the 38 extant felid species: a review. *Mammal Review* 49, 16–30.
9. Anile S. & Devillard S. 2018. Camera-trapping provides insights into adult sex ratio variability in felids. *Mammal Review* 48, 168–179.
10. Antonio S. B., Cerutti R. D., Scaglione M. C., Piccione G. & Refinetti R. 2017. Daily rhythmicity and behaviour of nine species of South American feral felids in captivity. *Physiology & Behaviour* 180, 107–112.
11. Arias-Alzate A., Botero C., Obando J. M. & Delgado-V C. A. 2017. Un caso potencial de

depredacion depuercoespin (*Coendou* sp.) por Ocelote (*Leopardus pardalis*) en La Reserva Natural La Mesenia-Paramillo, Jardin, Antioquia. Mammalogy Notes 4(1), 27–29.

12. Arispe R., Rumiz D. & Noss A. J. 2007. Six species of cats registered by camera trap surveys of tropical dry forest in Bolivia. Cat News 47, 36–38.
13. Arzate E. M., Dávalos L. I. I. & González C. A. L. 2011. High elevation records of ocelots (*Leopardus pardalis*) in Jalisco, Mexico. Mammalia 75, 387–388.
14. Avendano R., Barrueta F., Soto-Fournier S., Chavarria M., Monge O., Gutierrez-Espelata G. A & Chaves A. 2016. Canine distemper virus in wild felids of Costa Rica. Journal of Wildlife Diseases 52(2), 373–377.
15. Avila Coria R., Villavicencio Garcia R., Muniz Castro M. A. & Trevino Garza E. 2015. Conectividad del habitat forestal del ocelote (*Leopardus pardalis*) en la Sierra de Quila y zonas adyacentes, estado de Jalisco, Mexico. In Estudios territoriales en México: percepción remota y sistemas de información espacial. Cejudo L. C. A., Peña L. C. B., Quintana L. C. W., Olave M. E. T., Campos M. I. U. & Leóm M. O. G. (eds). Universidad Autónoma de Ciudad Juarez, Chihuahua, Mexico, pp. 15–32.
16. Avila-Najera D. M., Naranjo E. J., Tigar B., Villarreal O. & Mendoza G. D. 2018. An evaluation of the contemporary uses and cultural significance of mammals in Mexico. Ethnobiology Letters 9(2), 124–135.
17. Avila-Najera D. M., Chavez C., Lazcano-Barrero M. A., Perez-Elizalde S & Alcantara-Carballo J. L. 2015. Estimación poblacional y conservación de felinos en el norte de Quintana Roo, México. Revista de Biología Tropical 63, 799–813.
18. Azevedo F. C. C., Mähler Jr J. K. F., Indrusiak C. B., Scognamillo D., Conforti V. A., Morato R. G., Cavalcanti S. M., Ferraz K. M. P. M. B. & Crawshaw Jr P. G. 2019. Spatial organization and activity patterns of ocelots (*Leopardus pardalis*) in a protected subtropical forest of Brazil. Mammal Research 64, 503–510.
19. Azuara D. & Medellin R. A. 2011. Camera trapping as a tool to study jaguars and other mammals in the Lacandon forest, Chiapas. In Jaguar conservation and management in Mexico case studies and perspectives. Ceballos G., Chavez C., List R., Zarza H. & Medellín R. A. (Eds). First ed. Alianza WWF/Telcel-Universidad Nacional Autonoma de Mexico, Mexico, pp. 145–155.
20. Barboza R. R. D., Lopes S. F., Souto W. M. S., Fernandes-Ferreira H. & Alves R. R. N. 2016. The role of game mammals as bushmeat in the Caatinga, northeast Brazil. Ecology and Society 21(2), 2.

21. Bisbal F. J. 1986. Food habits of some neotropical carnivores in Venezuela (Mammalia, Carnivora). *Mammalia* 50(3), 329–339.
22. Bisbal F. J. 1989. Distribution and habitat association of the carnivores in Venezuela. In Redford K. H. & Eisenberg J. F. (eds). *Advances in neotropical mammalogy*. Sandhill Crane Press, Gainesville FL, U.S.A., pp. 339–362.
23. Blake J. G., Mosquera D., Loiselle B. A., Swing K., Guerra J. & Romo D. 2016. Spatial and temporal activity patterns of ocelots *Leopardus pardalis* in lowland forests of eastern Ecuador. *Journal of Mammalogy* 97(2), 455–463.
24. Bogoni J. A., Cherem J. J., Giehl E. L. H., Oliveira-Santos L. G., de Castilho P. V., Filho V. P., Fantacini F. M., Tortato M. A., Luiz M. R., Rizzaro R. & Graipel M. E. 2016. Landscape features lead to shifts in communities of medium- to large-bodied mammals in subtropical Atlantic Forest. *Journal of Mammalogy* 97(3), 713–725.
25. Bolze G. J. 2019. Ecologia e comportamento de Jaguaria, *Leopardus pardalis*, no limite Sul da Mata Atlantica. Dissertacao, Programa de Pos-Graduacao em biologia animal, Universidade Federal do Rio Grande do Sul, Brazil. 73 pp.
26. Boron V., Xofis P., Payan A. L. E. & Tzanopoulos J. 2018. Conserving predators across agricultural landscapes in Colombia: habitat use and space partitioning by jaguars, pumas, ocelots and jaguarundis. *Oryx*, 1–10.
27. Braz P. H. & Umeda L. M. L. 2015. Primero relato de *Hepatozoon* spp. em jaguariça (*Leopardus pardalis*) em mato grosso do sul. *Acta Veterinaria Brasilica* 9(2), 176–179.
28. Breviglieri C. P. B., Laundré J. W. & Romero G. Q. 2017. Effects of puma on the diversity and composition of Neotropical mammals. *Journal of Tropical Ecology* 33(5), 317–326.
29. Briones-Salas M., Lira-Torres I., Carrera-Trevino R. & Sanchez-Rojas G. 2016. Relative abundance and activity patterns of wild felids in Chimalapas rainforest, Oaxaca, Mexico. *THERYA* 7(1), 123–134.
30. Broad S. 1987. The harvest of and trade in Latin American spotted cats (Felidae) and otters (Lutrinae). Unpubl. report, World Conservation Monitoring Centre, Cambridge.
31. Carvalho W. D., Rosalino L. M., Godoy M. S. M., Giogete M. F., Adania C. H. & Esberard C. E. L. 2019. Temporal activity of rural free-ranging dogs: implications for the predator and prey species in the Brazilian Atlantic Forest. *NeoBiota* 45, 55–74.
32. Caso A., Lopez-Gonzalez C., Payan E., Eizirik E., de Oliveira T., Leite-Pitman R., Kelly M. & Valderrama C. 2008. *Leopardus pardalis*. In IUCN 2012. IUCN Red List of Threatened

Species. Version 2012.2. Last accessed 01. February 2013.

33. Chatellenaz M. L., Villordo M. G., Anchetti J. L. & Rolón M. 2018. First documented records of the Ocelot *Leopardus pardalis* (Carnivora: Felidae) from the Corrientes province, Argentina. *Acta Zoologica lilloana* 62(1), 28–35.
34. Chávez-Andrade M., Luevano-Esparza J., Quintero-Diaz G. E. Bárcenas H. V. & Ceballos G. 2015. Mamíferos del Estado de Aguascalientes. *Revista Mexicana de Mastozoología ía Nueva época* 5(2), 1–22.
35. Cisin C. 1967. Especially ocelots. Harry G. Cisin, New York. pdf
36. Cogan T. 2018. Monitoring wildlife guards and crossing structures on a divided highway in South Texas. MSc Thesis, University of Texas Rio Grande Valley, U.S.A. 97 pp.
37. Contreras M. I., Guerra C. D., Gracia R. & Moreira J. 2016. Densidad de ocelotes (*Leopardus pardalis*) en el Burrel, Petén, Guatemala. *REDVET, Revista Electronica de Veterinaria* 17(10), 1–15.
38. Contreras-Moreno F. M., Sima-Panti D., Zuniga-Morales J. A., Coutiño-Cal y Mayor C., Borges-Zapata J. Y. & Serrano-Mac-Gregor R. 2019. Registro fotográfico de un murciélagos capturado por *Leopardus pardalis* (Carnivora:Felidae) en la Reserva de la Biosfera Calakmul, Mexico. *Mammalogy Notes* 5(2), 6–9.
39. Costa A. R. C., Passamani M. & da Cunha R. G. T. 2019. Survey of medium-sized and large mammals in semideciduous Atlantic Forest patches near Alfenas, Southern Minas Gerais, Brazil. *Check List* 15(1), 209–218.
40. Crawshaw P. G. & Quigley H. B. 1989. Ocelot movement and activity patterns in the Pantanal Region, Brazil. *Biotropica* 21(4), 377–379.
41. Crespo J. A. 1982. Ecología de la comunidad de mamíferos del Parque Nacional Iguazú, Misiones. *Rev. Mus. Argent. Cienc. Nat. "Bernardino Rivadavia," Ecol.* 3(2), 45–162.
42. Crouzeilles R., Beyer H. L., Mills M., Grelle C. E. V. & Possingham H. P. 2015. Incorporating habitat availability into systematic planning for restoration: a species-specific approach for Atlantic forest mammals. *Diversity and Distributions* 21, 1027–1037.
43. Cruz P., Teta P., Palacio L., Paviolo A. & Di Bitetti M. 2019. New locality for the rare sigmodontine *Abrawayaomys ruschii* (Rodentia, Cricetidae) in Argentina, with comments about its regional conservation status. *Mamíferos sudamericanos*.

44. Cruz-Rodriguez C., Gonzalez-Maya J. F., Rodriguez-Bolaños A., Cepeda-Mercado A. A., Zarrate-Charry D. & Belant J. L. 2015. Ocelot *Leopardus pardalis* (Carnivora:Felidae) spatial ecology in a fragmented landscape of Colombia. *Revista Mexicana de Mastozoología* ía Nueva época (5)1, 17–24.
45. D'Cruze N., Machado F. C., Matthews N., Balaskas M., Carder G., Richardson V. & Vieto R. 2017. A review of wildlife ecotourism in Manaus, Brazil. *Nature Conservation* 22, 1–16.
46. Da Cunha Araujo R. O., Rodrigues A. L. A. M. & Galliez M. 2019. Sharing the nature: mammals and neighbor human population of a protected area in the Atlantic Forest, Brazil. *Oceologia Australis*.
47. Da Silva Braz V. & França F. G. R. 2016. Wild vertebrate roadkill in the Chapada dos Veadeiros National Park, Central Brazil. *Biota Neotropica* 16(1), e0182.
48. Da Silva Zanzini A. C., Machaldo F. S., de Oliveira J. E. & de Oliveira E. C. M. 2018. Roadkills of medium and large-sized mammals on highway BR-242, Midwest Brazil: a proposal of new indexes for evaluating animal roadkill rates. *Oceologia Australis* 22(3), 248–257.
49. De Bastiani E., Bazilio S., De Barros K. F. & Nabrzecki G. 2015. Felinos da floresta nacional de Piraí do Sul, Paraná – Brasil. *Acta Zoologica Mexicana* no 8. 31(1), 23–26.
50. De Cassia Bianchi R., Olifiers N., Gompper M. E & Mourao, G. 2016. Niche partitioning among mesocarnivores in a Brazilian Wetland. *PLoS ONE* 11(9), e0162893.
51. De Matos Dias D. & Bocchiglieri A. 2015. Dieta de carnívoros (Mammalia, Carnivora) em um remanescente de Caatinga, Nordeste do Brasil. *Bioikos, Campinas* 29(1), 13–19.
52. De Matos Dias D., Almeida M. d. O. S., de Araujo-Piovezan T. G. & Dantas J. O. 2019. Habitat selection by mammals in an isolated fragment of Brazilian Atlantic Forest. *Ecotropica* 21: 201903.
53. De Matos Dias D., de Campos C. B. & Rodrigues F. H. G. 2018. Behavioural Ecology in a Predator-Prey System. *Mammalian Biology* 92, 30–36.
54. De Moura Calixto B. & de Oliveira T. V. 2016. O uso de vestígios e de Armadilhas fotográficas como ferramenta para a complementação de inventários de mamíferos na serra da jiboia, recôncavo baiano.
55. De Souza Laurindo R., Toledo F. R. N. & Man na Teixeira E. 2019. Mammals of medium and large size in Cerrado remnants in southeastern Brazil. *Neotropical Biology and*

Conservation 14(2), 195–206.

56. Delciellos A. C. 2016. Mammals of four Caatinga areas in northeastern Brazil: inventory, species biology, and community structure. Check List 12(3), 1–15.
57. Delibes M., Calzada J., Chávez C., Revilla E., Ribeiro B. A., Prado D., Keller C. & Palomares F. 2011. Unusual observation of an ocelot (*Leopardus pardalis*) eating an adult Linnaeus's two-toed sloth (*Choloepus didactylus*). Mammalian Biology 76(2), 240–241.
58. DeMatteo K. E., Rinas M. A., Zurano J. P., Selleski N., Schneider R. G. & Argüelles C. F. 2017. Using niche-modelling and species-specific cost analysis to determine a multispecies corridor in a fragmented landscape. PLoS ONE 12(8), e0183648.
59. Di Bitetti M. S., De Angelo C. D., Di Blanco Y. E. & Paviolo A. 2010. Niche partitioning and species coexistence in a Neotropical felid assemblage. Acta Oecologica 36(4), 403–412.
60. Di Bitetti M. S., Paviolo A. & De Angelo C. 2006. Density, habitat use and activity patterns of ocelots (*Leopardus pardalis*) in the Atlantic Forest of Misiones, Argentina. Journal of Zoology 270, 153–163.
61. Di Bitetti M. S., Paviolo A., De Angelo C. D. & Di Blanco Y. E. 2008. Local and continental correlates of the abundance of a neotropical cat, the ocelot (*Leopardus pardalis*). Journal of Tropical Ecology 24, 189–200.
62. Diaz-Pulido A. & Payán Garrido E. 2011. Densidad de ocelotes (*Leopardus pardalis*) en los llanos colombianos. Mastozoología Neotropica 18(1), 63–71.
63. Dickman, A. J & Hazzah L. 2016. Money, Myths and Man-Eaters: Complexities of Human-Wildlife Conflict. In Problematic Wildlife. Angelici F. (Ed.). Springer, Cham, Switzerland, pp. 339–356.
64. Dillon A. & Kelly M. J. 2007. Ocelot *Leopardus pardalis* in Belize: the impact of trap spacing and distance moved on density estimates. Oryx 41(4), 469-477.
65. Dillon A. & Kelly M. J. 2008. Ocelot home range, overlap and density: comparing radio telemetry with camera trapping. Journal of Zoology 275, 391–398.
66. Dillon A. 2005. Camera trapping ocelots in Belize, Central America. Wild Cat News, 1-3.
67. Dillon A. 2005. Ocelot density and home range in Belize, central America: Camera-trapping and radio telemetry. MSc Thesis. Virginia Polytechnic Institute and State University, Blacksburg VA, U.S.A. 136 pp.

68. Eisenberg J. F. 1990. Mammals of the neotropics, Vol.1: the Northern Neotropics. University of Chicago Press, Chicago.
69. Emmons L. H. 1987. Comparative feeding ecology of felids in a neotropical rainforest. *Behavioral Ecology and Sociobiology* 20, 271–283.
70. Emmons L. H., Sherman P., Bolster D., Goldizen A. & Terborgh J. 1989. Ocelot behavior in moonlight. In *Advances in neotropical mammalogy*. Redford K. H. & Eisenberg J. F. (eds). Sandhill Crane Press, Gainesville FL, U.S.A., pp. 233–242.
71. Emmons, L. H. 1988. A field study of ocelots (*Felis pardalis*) in Peru. *Revue D'Ecologie (Terre Vie)* 43, 133-157.
72. Enders R. K. 1935. Mammalian life histories from Barro Colorado Island, Panama. *Bulletin of the Museum of Comparative Zoology at Harvard College* 78(4), 385–502.
73. Fagen R. M. & Wiley K. S. 1978. Felid paedomorphosis, with special reference to *Leopardus*. *Carnivore* 1(1), 72–81.
74. Ferreguetti A. C., Tomas W. M. & Bergallo H. G. 2017. Differences in the mammalian habitat use in a mosaic of vegetation types of an Atlantic Rainforest Reserve, Brazil. *Mastozoologia Neotropica* 24(2), 355–364.
75. Figueiredo M. G., Cervini M., Rodrigues F. P., Eizirik E., Azevedo F. C. C., Cullen Jr. L., Crawshaw Jr. P. G. & Galetti Jr. P. M. 2015. Lack of population Genetic Structuring in Ocelots (*Leopardus pardalis*) in a Fragmented Landscape. *Diversity* 7, 295–306.
76. Fornitano L. 2015. Taxa de ocupação da jaguatirica (*Leopardus pardalis*) e segregação especial e temporal de felídeos na região norte e nordeste do Estado de São Paulo. MSc thesis, Universidade Estadual Paulista “Julio de Mesquita Filho”, Brazil. 77 pp.
77. Fuller K. S., Swift B., Jorgensen A. & Bräutigam A. 1987. Latin American wildlife trade laws, 2d edn. (rev.). WWF-US, Washington D.C.
78. Furtado M. M., Hayashi E. M. K., Allendorf S. D., Coelho C. J., de Almeida Jacomo A. T., Megid J., Filho J. D. R., Silveira L., Torres N. M. & Neto, J. S. F. 2016. Exposure of free-ranging wild carnivores and domestic dogs to Canine Distemper Virus and Parvovirus in the Cerrado of Central Brazil. *EcoHealth* 13, 549–557.
79. Garcia-R S., Botero-Cañola S., Sánchez-Giraldo C. & Solari S. 2019. Habitat use and activity patterns of *Leopardus pardalis* (Felidae) in the Northern Andes, Antioquia,

Colombia. Biodiversity 20(1), 5–19.

80. Garrote G., Castañeda B., Escobar J. M., Pérez L. & Trujillo F. 2019. Estima de densidad de ocelots (*Leopardus pardalis*) en los Llanos Orientales de Colombia. Galemys 31, 78–82.
81. Gieteling C. 1972. Jaguar en ocelot: biologies, bedreiging en bescherming. Unpublished report to WWF Germany, Frankfurt (in Dutch with English abstract).
82. Gil-Fernandez M., Muench C., Gomez-Hoyos D. A., Duenas A., Escobar-Lasso S., Aguilar-Raya G. & Mendoza E. 2017. Wild felid species richness affected by a corridor in the Lacandona forest, Mexico. Animal Biodiversity and Conservation 40(1).
83. Giordano C., Lyra-Jorge M., Miotto R. A. & Pivello V. R. 2018. Food habits of three carnivores in a mosaic landscape of São Paulo state, Brazil. European Journal of Wildlife Research 64: 15.
84. Gomes da Rocha D., Sollmann R., Ramalho E. E., Ilha R. & Tan C. K. W. 2016. Ocelot (*Leopardus pardalis*) density in Central Amazonia. PLoS ONE 11(5), e0154624.
85. Gomez-Ortiz Y., Monroy-Vilchis O. & Mendoza-Martinez G. D. 2015. Feeding interactions in an assemblage of terrestrial carnivores in central Mexico. Zoological Studies 54: 16.
86. Gomez-Ramirez M. A., Gutierrez-Gonzalez C. E. & Lopez-Gonzalez C. A. 2017. Ocelots thrive in a non-typical habitat of northwestern Mexico. Endangered Species Research 32, 471–478.
87. González-Gallina A. & Hidalgo-Miharti M. G. 2018. A review of road-killed felids in Mexico. Therya 9(2), 147–159.
88. González-Maya J. F & Cardenal-Porras J. 2011. Ocelot density in the Caribbean slope of the Talamanca region, Costa Rica. Hystrix, Italian Journal of Mammalogy 22(2), 355–360.
89. Goulart F. V. B., Graipel M. E., Tortato M. A., Ghizoni-Jr I.R., Oliveira-Santos L. G. R. & Caceres N. C. 2009. Ecology of the ocelot (*Leopardus pardalis*) in the Atlantic Forest of Southern Brazil. Neotropical Biology and Conservation 4(3), 137–143.
90. Graham K. 2017. International Intent and Domestic Application of the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES): The Case of the Ocelot (*Leopardus pardalis*). Journal of International Wildlife Law & Policy 20(3–4), 253–294.
91. Grigione M. M., Menke K., López-González C. A., List R., Banda A., Carrera J., Carrera R.,

- Giordano A. J., Morrison J., Sternberg M., Thomas R. & Van Pelt B. 2009. Identifying potential conservation areas for felids in the USA and Mexico: integrating reliable knowledge across an international border. *Oryx* 43(1), 78–86.
92. Grimwood I. R. 1969. Notes of the distribution and status of some Peruvian mammals in 1968. Special publ. no. 21, New York Zoological Society, Bronx.
93. Hernandez-Hernandez J. C., Monter-Pozos A. & Villegas-Patraca R. 2019. Nuevos registros de tayra (*Eira barbara*) y ocelote (*Leopardus pardalis*) en una selva Baja Caducifolia de Yucatán, México. *Revista Mexicana de Mastozoología Nueva época* 9(2), 55–62.
94. Hernandez-Sanchez A., Santos-Moreno A. & Perez-Irineo G. 2017. Abundance of mesocarnivores in two vegetation types in the southeastern region of Mexico. *The Southwestern Naturalist* 62(2), 101–108.
95. Herrera, H., Chavez E. J., Alfaro L. D., Fuller T. K., Montalvo V., Rodrigues F. & Carrillo E. 2018. Time partitioning among jaguar *Panther onca*, puma *Puma concolor* and ocelot *Leopardus pardalis* (Carnivora: Felidae) in Costa Rica's dry and rainforests. *Biología Tropical, International Journal of Tropical Biology* 66(4), 1559–1568.
96. Holbrook J. D., DeYoung R. W., Tewes M. E., Young J. H., Mays J. L. & Meyers E. D. 2011. Natural Dispersal or Illegal Pets? Limitations on Assigning Origin to Road-Killed Ocelots in the Southwestern United States. *Wildlife society bulletin* 35(4), 504–507.
97. Huck M., Juarez C. P. & Fernandez-Duque R. 2016. The relationship between moonlight and nightly activity patterns of the ocelot (*Leopardus pardalis*) and some of its prey species in Formosa, Northern Argentina. *Mammalian Biology* 82, 57–64.
98. Hurtado C. M. & Pacheco V. 2015. New mammalian records in the Parque Nacional Cerros de Amotape, northwestern Peru. *Revista Peruana de Biología* 22(1), 77–86.
99. Husson A. M. 1978. The mammals of Surinam. E.J. Brill, Leiden.
100. Janecka J. E., Tewes M., Laack L. L., Caso A., Grassman Jr L. I., Haines A. M., Shindle D. B., Davis B. W., Murphy W. J. & Honeycutt R. L. 2011. Reduced genetic diversity and isolation of remnant ocelot populations occupying a severely fragmented landscape in southern Texas. *Animal Conservation* 14(6), 608–619.
101. Janecka J. E., Tewes M. E., Davis I. A., Haines A. M., Caso A., Blankenship T. L. & Honeycutt R. L. 2016. Genetic differences in the response to landscape fragmentation by a habitat generalist, the bobcat, and a habitat specialist, the ocelot. *Conservation Genetics* 17, 1093–1108.

102. Kasper C. B., Schenider A. & Oliveira T. G. 2016. Home range and density of three sympatric felids in the Southern Atlantic Forest, Brazil. *Brazilian Journal of Biology* 76(1), 228–232.
103. Khan K., Ali S. & Mohammed R. S. 2017. Colours and Spots: Do they Tell the Story of an Ocelot's Origin? *Living World Journal of the Trinidad and Tobago Field Naturalists' Club* 38(1), 38–42.
104. King T. W., Salom-Perez R., Shipley L. A., Quigley H. B. & Thornton D. H. 2016. Ocelot latrines: communication centers for Neotropical mammals. *Journal of Mammalogy* 98(1), 106–113.
105. Kitchener A. C., Breitenmoser-Würsten Ch., Eizirik E., Gentry A., Werdelin L., Wilritng A., Yamaguchi N., Bramov A. V., Christiansen P., Driscoll C., Duckworth J. W., Johnson W., Luo S.- J., Meijaard E., O'Donoghue P., Sanderson J., Seymour K., Bruford M., Groves C., Hoffmann M., Nowell K., Timmons Z. & Tobe S. 2017. A revised taxonomy of the Felidae. The final report of the Cat Classification Task Force of the IUCN Cat Specialist Group. *Cat News Special Issue* 11, 80 pp.
106. Koford C. B. 1976. Latin American Cats: economic values and future prospects. In *The world's cats Vol 3(1): contributions to status, management and conservation*. Eaton R.L. (Ed.). Carnivore Research Institute, University of Washington, Seattle WA, U.S.A., pp. 79–88.
107. Kolowski J. M. & Alonso A. 2010. Density and activity patterns of ocelots (*Leopardus pardalis*) in northern Peru and the impact of oil exploration activities. *Biological Conservation* 143, 917–925.
108. Konecny M. J. 1989. Movement patterns and food habits of four sympatric carnivore species in Belize, Central America. In *Advances in neotropical mammalogy*. Redford K. H. & Eisenberg J. F. (Eds). Sandhill Crane Press, Gainesville FL, U.S.A., pp. 243–264.
109. Leopold A. S. 1959. *Wildlife of Mexico*. University of California Press, Berkeley CA, U.S.A.
110. Lima F. 2009. Estimativas de abundância e densidade populacional da jaguatirica através de modelos de macação-recaptura: estudo de caso nos remanescentes florestais do Pontal do Paranapanema, São Paulo. Universidade Federal de Minas Gerais, Brazil. 63 pp.
111. Ludlow M. E. & Sunquist M. E. 1987. Ecology and behavior of ocelots in Venezuela. *Nat. Geog. Res.* 3(4), 447–461.

112. Machado R. F., Cerezer F. O., Hedges C. D. & Caceres N. C. 2017. Factors affecting the home range size of felids (Mammalia, Carnivora) with emphasis on three American species. *Ecologia Australis* 27, 232–241.
113. Maffei L. & Noss A. J. 2008. How small is too small? Camera trap survey areas and density estimates for ocelots in the Bolivian Chaco. *Biotropica* 40(1), 71–75.
114. Maffei L., Noss A. J., Cuellar E. & Rumiz D. I. 2005. Ocelot (*Felis pardalis*) population densities, activity, and ranging behaviour in the dry forests of eastern Bolivia: data from camera trapping. *Journal of Tropical Ecology* 21(3), 349–353.
115. Magioli M., de Barros Ferraz K. M. P. M., Setz E. Z. F., Percequillo A. R., de Sa Santos Rondon M. V., Kuhen V. V., da Silva Canhoto M. C., Almeida dos Santos K. E., Kanda C. Z., de Lima Fregonezi G., Alves do Prado H., Ferreira M. K., Ribeiro M. C., Villela P. M. S., Coutinho L. L. & Rodrigues M. G. 2016. Connectivity maintain mammal assemblages functional diversity within agricultural and fragmented landscapes. *European Journal of Wildlife Research* 62(4), 431–446.
116. Martinez-Hernandez A., Rosas-Rosas O. C., Clemente-Sanchez F., Tarango-Arambula L. A., Palacio-Nunez L., Bender L. C. & Herrera-Haro J. G. 2014. Density of threatened ocelot *Leopardus pardalis* in the Sierra Abra-Tanchipa Biosphere Reserve, San Luis Potosi, Mexico. *Oryx* 48(4), 619–625.
117. Massara R. L., de Oliveira Paschoal A. M., Bailey L. L., Doherty Jr P. F., de Frias Barreto M & Chiarello A. G. 2018. Effects of humans on pumas on the temporal activity of ocelots in protected areas of Atlantic Forest. *Mammalian Biology* 92, 86–93.
118. Massara R. L., Paschoal A. M. O., Bailey L. L., Doherty Jr P. F. & Chiarello A. G. 2016. Ecological interactions between ocelots and sympatric mesocarnivores in protected areas of the Atlantic Forest, southeastern Brazil. *Journal of Mammalogy* 97(6), 1634–1644.
119. Massara R. L., Paschoal A. M. dO., Bailey L. L., Doherty Jr. P.F., Hirsch A. & Chiarello A. G. 2017. Factors influencing ocelot occupancy in Brazilian Atlantic Forest reserves. *Biotropica* 50(1), 125–134.
120. Massara R. L., Paschoal A. M. dO., Doherty P. F., Hirsch Jr. A. & Chiarello A. G. 2015. Ocelot population status in protected Brazilian Atlantic Forest. *PLoS ONE* 10(11), e0141333.
121. Mazzolli M. & Hammer M. L. A. 2008. Qualidade de ambiente para a onça-pintada, puma e jaguatirica na Baía de Guaratuba, Estado do Paraná, utilizando os aplicativos Capture e Presence. *Biotemas* 21(2), 105–117.

122. McBride R. T. & Giordano A. J. 2010. First Record of a White Ocelot (*Leopardus pardalis*). *The Southwestern Naturalist* 55(4), 567–568.
123. Mellen J. 1989. Reproductive behaviour of small captive cats (Felis ssp.). PhD. Thesis, University California, Davis CA, U.S.A.
124. Mendes C. P., Carreira D., Pedrosa F., Beca G., Lautenschlager L., Akkawi P., Berce W., Ferraz K. M. P. M. B. & Galetti M. 2020. Landscape of human fear in the Neotropical rainforest mammals. *Biological Conservation* 241: 108257.
125. Mendes Pontes A. R., Beltrão A. C. M., Normande I. C., Malta Ad. J. R., Silva Junior A. Pd. & Santos A. M. M. 2016. Mass extinction and the disappearance of unknown mammal species: Scenario and perspectives of a Biodiversity Hotspot's hotspot. *PLoS ONE* 11(5), e0150887.
126. Mendoza M. S., Cun P., Hortsman E., Carbajo S. & Alava J. J. 2017. The last coastal jaguars of Ecuador: Ecology, conservation and management implications. In *Big Cats*. Srivastav A. B. & Singh K. P. (eds). IntechOpen, DOI: 10.5772/intechopen.69859.
127. Mondolfi E. 1986. Notes on the biology and status of the small wild cats in Venezuela. In *Cats of the world: biology, conservation and management*. Miller S. D. & Everett D. D. (Eds). National Wildlife Federation, Washington D.C., U.S.A., pp. 125–146.
128. Monroy-Vilchis O., Zarco-Gonzalez A. & Zarco-Gonzalez M. M. 2019. Potential distribution and areas for conservation of four wild felid species in Mexico: Conservation planning. *Mammalian Biology* 98, 128–136.
129. Montalvo V., Saenz-Bolanos D., Cruz J. C., Hagnauer I. & Carrillo E. 2020. Consumption of wild rice (*Oryza latifolia*) by free-ranging jaguars, pumas, and ocelots (Carnivora-Felidae) in northwestern Costa Rica. *Food Webs* 22: e00138.
130. Monterrubio-Rico T. C., Charre-Medellin J. F., Perez-Martinez M. Z. & Mendoza E. 2017. Use of remote cameras to evaluate ocelot (*Leopardus pardalis*) population parameters in seasonal tropical dry forests of central-western Mexico. *Mammalia* 82(2) 113–123.
131. Mora F. 2017. Nation-wide indicators of ecological integrity in Mexico: the status of mammalian apex-predators and their habitat. *Ecological Indicators* 82, 94–105.
132. Moreno R. & Bustamante A. 2009. Datos ecológicos del ocelote (*Leopardus pardalis*) en Cana, Parque Nacional Darién, Panamá: Utilizando el método de cámaras trampa. *Tecnociencia* 11, 91–102.

133. Mosquera D., Blake J. G., Swing K. & Romo D. 2016. Ocelot (*Leopardus pardalis*) density in Eastern Ecuador based on capture-recapture analyses of camera trap data. *Neotropical Biology* 2(1), 51–58.
134. Mosquera-Guerra F., Trujillo F., Diaz-Pulido A. P. & Mantilla-Meluk H. 2018. Diversity, relative abundance and activity patterns for medium and large mammals of the riparian forests of the Bita River, Vichada, Colombia. *Biota Colombiana* 19(1), 202–218.
135. Nagy-Reis M. B., Iwakami V. H. S., Estevo C. A. & Setz E. Z. F. 2018. Temporal and dietary segregation in a Neotropical small-felid assemblage and its relation to prey activity. *Mammalian Biology* 95, 1–8.
136. Nagy-Reis M. B., Nichols J. D., Chiarello A. G., Ribeiro M. C & Setz E. Z. F. 2017. Landscape use and Co-Occurrence Patterns of Neotropical Spotted Cats. *PLoS ONE* 12(1), e0168441.
137. Napolitano C., Diaz D., Sanderson J., Johnson W. E., Ritland K., Ritland C. E. & Poulin E. 2015. Reduced genetic diversity and increased dispersal in Guigna (*Leopardus guigna*) in Chilean fragmented landscapes. *Journal of Heredity* 106, 522–526.
138. Navarro D. L. 1985. Status and distribution of the ocelot (*Felis pardalis*) in south Texas. MSc Thesis, Texas A & I Univ., Kingsville TX, U.S.A.
139. Nivelo-Villavicencio C., Fernandez de Cordova J., Jiminez A. & Astudillo P. X. 2019. Contributions on the diet and distribution of Ocelot *Leopardus pardalis* (Linné 1758) in the high Andes of Ecuador. *Revista peruana de biología* 26(3), 399–402.
140. Nordlof S. E. 2015. Analysis of variable related to corridor use by ocelots and bobcats in south Texas. MSc Thesis, The University of Texas at Brownsville, U.S.A. 42 pp.
141. Oliveira T. G. de, Tortato M. A., Silveira L., Kasper C. B., Mazim F. D., Lucherini M., Jácomo A. T., Soares J. B. G., Marques R. V. & Sunquist M. E. 2010. Ocelot ecology and its effect on the small-felid guild in the lowland neotropics. In *Biology and conservation of the wild felids* Macdonald D. W. & Loveridge A. J. (Eds.). Oxford University Press, Oxford, New York, pp. 559–580.
142. Oliveira T. G. de. 1994. Neotropical Cats: ecology and conservation. São Luís, EDUFMA.
143. Oliveira T. G. de, Almeida L. B. de & Campos C. B. de. 2013. Avaliação do risco de extinção da jaguatirica *Leopardus pardalis* no Brasil. *Biodiversidade Brasileira* 3(1), 66–75.
144. Oliveira T. G.de. 2011. Ecologia e conservação de pequenos felinos no Brasil e suas implicações para o manejo. PhD dissertation. Universidade Federal de Minas Gerais, Belo

Horizonte, Brazil. 204 pp.

145. Paolino R. M., Royle J. A., Versiani N. F., Rodrigues T. F., Pasqualotto N., Krepschi V. G. & Chiarello A. G. 2018. Importance of riparian forest corridors for the ocelot in agricultural landscapes. *Journal of Mammalogy* 99(4), 874–884.
146. Paolino R. M., Versiani N. F., Pasqualotto N., Rodrigues T. F., Krepschi V. G. & Chiarello A. G. 2016. Buffer zone use by mammals in a Cerrado protected area. *Biota Neotropica* 16(2).
147. Pasa J. B., Hegel C. G. Z. & Zanella N. 2019. What are you eating? Stomach contents of roadkilled mammals of Northern Rio Grande do Sul. *Oceologia Australis* (Ahead of print).
148. Paviolo A., Crawshaw P., Caso A., de Oliveira T., Lopwz-Gonzalez C. A., Kelly M., de Angelo C. & Payan E. 2015. *Leopardus pardalis*. The IUCN Red List of Threatened Species 2015. Available at: <http://www.iucnredlist.org/details/full/11509/0> (last accessed: 16.03.2016).
149. Payan E., Soto C., Diaz-Pulido A., Benitez A. & Hernandez A. 2013. Wildlife road crossing and mortality: lessons for wildlife friendly road design in Colombia. International Conference on Ecology and Transportation, Arizona 1–8.
150. Penido G., Astete S., Furtado M. M., Jacomo A. T. A., Sollmann R., Torres N., Silveira L. & Filho J. M. 2016. Density of ocelots in a semiarid environment in northeastern Brazil. *Biota Neotropica* 16(4).
151. Penido G., Astete S., Jacomo A. T. A., Sollmann R., Torres N., Silveira L. & Filho J. M. 2017. Mesocarnivore activity patterns in the semiarid Caatinga: limited by the harsh environment or affected by interspecific interactions? *Journal of Mammalogy* 98(6), 1732–1740.
152. Perez-Irineo G. & Santos-Moreno A. 2016. Abundance and activity patterns of medium sized felids (Felidae, Carnivora) in southeastern Mexico. *The Southwestern Naturalist* 61(1), 33–39.
153. Perez-Irineo G., Barrera C. B. & Santos-Moreno A. 2019. Densidad, idoneidade ambiental y nico ecológico de cuatro espécies de felinos americanos (Carnivora: Felidae). *Biologica Tropical* 67(3), 667–678.
154. Perez-Irineo G., Santos-Moreno A. & Hernandez-Sanchez A. 2017. Density and activity patterns of *Leopardus wiedii* and *Leopardus pardalis* at Sierra Norte of Oaxaca, Mexico. *THERYA* 8(3), 217–222.

155. Perez-Valdez N. 2018. Record of the ocelot (*Leopardus pardalis*) in the state of Zacatecas, Mexico. THERYA 9(1), 99–101.
156. Peters F. B., Mazim F. D., Favarini M. O., Soares J. B. G. & de Oliveira T. G. 2016. Caca preventiva ou retaliativa de felinos por humanos no extremo sul do Brasil. In II. Conflictos entre felinos y humanos en América Latina. Lasso C. A., Hoogesteijn R., Diaz-Pulido A., Payán E. & Castaño-Uribe C. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Bogotá, Colombia, pp. 311–326.
157. Pimentel V. S. 2017. Variacao espacial e temporal no uso do habitat por jaguatirica (*Leopardus pardalis*) em florestas de terra firme da Amazonia Central, Brasil. Instituto Nacional de Pesquisas da Amazonia, Programa de Pos-Graduacao em Ecologia 41 pp.
158. Pineda-Guerrero A., Gonzalez-Maya J. F. & Perez-Torres J. Conservation value of forest fragments for medium-sized carnivores in a silvopastoral system in Colombia. Mammalia 79(11), 115–119.
159. Porfirio G., Foster V. C., Fonsecca C. & Sarmento P. 2016. Activity patterns of Ocelots and their potential prey in the Brazilian Pantanal. Mammalian Biology 81(5), 511–517.
160. Porfirio G., Foster V. C., Sarmento P. & Fonseca C. 2018. Camera traps as a tool for carnivore conservation in a mosaic of protected areas in the Pantanal wetlands, Brazil. Nature Conservation Research 3(2), 57–67.
161. Pratas-Santiago L. P., Gonçalves A. L. S., da Maia Soares A. M. V & Spironello W. R. 2016. The moon cycle effect on the activity patterns of ocelots and their prey. Journal of Zoology 299, 275–283.
162. Ramalheira C. dS., Bozzetti B. F., da Cruz A. D., Palmeirim A. F., Cabral M. M. M. & Rosas F. C. W. 2015. First record of jaguar predation on giant otter (*Pteronura brasiliensis*). Animal Biology 65, 81–86.
163. Regolin A. L., Cherem J. J., Graipel M. E., Bogoni J. A., Ribeiro J. W., Vancine M. H., Tortato M. A., Oliveira-Santos L. G., Fantacini F. M., Luiz M. R., de Castilho P. V., Ribeiro M. C. & Caceres N. C. 2017. Forest cover influences occurrence of mammalian carnivores within Brazilian Atlantic Forest. Journal of Mammalogy 98(6), 1721–1731.
164. Rengger J. R. 1830. Naturgeschichte der Säugetiere von Paraguay. Natural history of the mammals of Paraguay. Basel, in German.
165. Rinaldi A. R., Rodriguez F. H., de Carvalho A. L. & Passos Fernando dC. 2015. Feeding of small Neotropical felids (Felidae: Carnivora) and trophic niche overlap in anthropized mosaic landscape of South Brazil. Biotemas 28(4), 155–168.

166. Rivera O. P., Madariaga E. & Arciniegas H. 2019. Densidad poblacional del tigrillo (*Leopardus pardalis*) en el valle del Cerrejón, La Guajira, Colombia. *Mammalogy Notes* 5(2).
167. Rodgers T. W., Giacalone J., Heske E. J., Janecka J. E., Jansen P. A., Phillips C. A. & Schooley R. L. 2015. Socio-spatial organization and kin structure in ocelots from integration of camera trapping and noninvasive genetics. *Journal of Mammalogy* 96(1), 120–128.
168. Rodgers T. W., Giacalone J., Heske E. J., Janecka J. E., Phillips C. A. & Schooley R. L. 2014. Comparison of noninvasive genetics and camera trapping for estimating population density of ocelots (*Leopardus pardalis*) on Barro Colorado Island, Panama. *Tropical Conservation Science* 7(4), 690–705.
169. Rodgers T. W., Giacalone J., Heske E. J., Pawlikowski N. C & Schooley R. L. 2015. Communal latrines act as potentially important communication centers in ocelots *Leopardus pardalis*. *Mammalian Biology* 80, 380–384.
170. Romo D., Swing K., Di Fiore A., Blake J. G., Loiselle B., Ryder T. B., de la Torre S., Erwin T., Pitman N., Cisneros-Heredia D. F., Voigt C. C., Burnham R. J., Alvarez H., Vinueza G., Abondano L., Alvarez S., Bruna E. M., Durães R., Ellis K., Fernández E., Ghanem S. J., Guerra J., Hidalgo J., Jenkins C., Link A., Maehr E., Paniagua F., Porter A., Rodgrígues M., Schmit C., Seales L., Snowdon C., Stocks G., Tori W. P., Widmer J., Yépez P. & Zamorano L. 2017. Los Secretos de Yasuní: Avances en investigación en la Estación de Biodiversidad Tiputini, Universidad San Francisco de Quito USFQ.
171. Ruiz-Garcia M., Pinedo-Castro M. & Shostell J. M. 2018. Small spotted bodies with multiple specific mitochondrial DNAs: existence of diverse and differentiated tigrina lineages or species (*Leopardus* spp: Felidae, Mammalia) throughout Latin America. *Mitochondrial DNA Part A* 29(7), 993–1014.
172. Salvador J. & Espinosa S. 2015. Density and activity patterns of ocelot populations in Yasuni National Park, Ecuador. *Mammalia* 80(4), 395–403.
173. Sánchez-Cordero V., Stockwell D., Sarkar S., Liu H., Stephens C. R. & Giménez J. 2008. Competitive interactions between felid species may limit the southern distribution of bobcats *Lynx rufus*. *Ecography* 31, 757–764.
174. Sandvig E. M., Espinaze M. P. A., Marin-Vial P. & Corti P. 2016. Assessing productive lands as viable habitat for Huemul in Patagonia. *The Journal of Wildlife Management* 80(3), 573–578.

175. Santos F., Carbone C., Wearn O. R., Rowcliffe J. M., Espinosa S., Lima M. G. M., Ahumada J. A., Goncalves A. L. S., Trevelin L. C., Alvarez-Loayza P., Spironello W. R., Jansen P. A., Juén L. & Peres C. A. 2019. Prey availability and temporal partitioning modulate felid coexistence in Neotropical forests. *PLoS ONE* 14(3), e0213671.
176. Saranholi B. H., Bergel M. M., Ruffino P. H. P., Rodriguez-C K. G., Ramazzotto L. A., de Freitas P. D. & Galetti P. M. 2015. Roadkill hotspots in a protected area of Cerrado in Brazil: planning actions to conservation. *Revista MVZ Córdoba* 21(2), 5441–5448.
177. Satter B. 2016. Estimating population density and survival of ocelots (*Leopardus pardalis*) in six study sites over multiple years in Belize, Central America. Master Thesis, Virginia Polytechnic Institute and State University, Blacksburg VA, U.S.A. 98 pp.
178. Servin J., Aguilar-Jiminez L. E., Hernandez-Reyes E. F., Tinoco J. & Sanchez-Robles J. 2016. Record of a live ocelot (*Leopardus pardalis*) at La Michilia Biosphere Reserve, Durango, Mexico. *Western North American Naturalist* 76(4), 497–500.
179. Shingues C. O., Costa G. M., Campos D. V. S., Rossi M. D. P., Santos R. C. & Lima M. G. 2018. Dieta de jaguatirica (*Leopardus pardalis*) no sul da Amazonie brasileira. *Revista Ibero-Americana de Ciências Ambientais* 9(1), 273–278.
180. Silva-Pereira J. E., Moro-Rios R. F., Bilski D. R. & Passos F. C. 2011. Diets of three sympatric Neotropical small cats: Food niche overlap and interspecies differences in prey consumption. *Mammalian Biology* 76(3), 308–312.
181. Soares H. S., Marcili A., Barbieri A. R. M., Minervino A. H. H., Moreira T. R., Gennari S. M. & Mabruna M. B. 2017. Novel piroplasid and *Hepatozoon* organisms infecting the wildlife of two regions of the Brazilian Amazon. *International Journal for Parasitology: Parasites and Wildlife* 6, 115–121.
182. Stella M., Selakovic S., Antonioni A. & Andreazzi C.S. 2017. Community interactions determine role of species in parasite spread amplification: the ecomultiplex network model.
183. Sunquist M. E. 1992. The ecology of the ocelot: the importance of incorporating life history traits into conservation plans. In *Felids of Venezuela*. Foundation for the Study of Physical, Mathematical and Natural Sciences (FUDENCI), Caracas, pp. 117–128.
184. Sunquist M. E., Sunquist F. & Daneke D. E. 1989. Ecological separation in a Venezuelan llanos carnivore community. In *Advances in neotropical mammalogy*. Redford K.H. & Eisenberg J.F. (eds). Sandhill Crane Press, Gainesville FL, U.S.A., pp. 197–232.
185. Tardio B. M. R. & Da Silveira R. 2015. The role of forest structure and human occupation

in structuring mammal assemblages in oligotrophic ecosystems of Central Amazonia. *Austral Ecology* 40(3), 318–330.

186. Tello J. L. 1986. The situation of the wild cats (Felidae) in Bolivia. CITES Secretariat, Lausanne.
187. Tewes M. E. & Everett D. D. 1986. Status and distribution of the endangered ocelot and jaguarundi in Texas. In *Cats of the world: biology, conservation and management*. Miller S.D. & Everett D. D. (Eds). National Wildlife Federation, Washington D.C., pp.147–158.
188. Tewes M. E. 1986. Ecological and behavioral correlates of ocelot spacial patterns. PhD Thesis, University of Idaho.
189. Tinoco N. & Camacho M. A. 2015. Records of bats predated by *Leopardus pardalis* (Carnivora:Felidae) in eastern Ecuador. *Revista Biodiversidad Neotropical* 5(2), 105–110.
190. Tirelli F. P., de Freitas T. R. O., Michalski F., Percequillo A. R. & Eizirik E. 2019. Using reliable predator identification to investigate feeding habits of Neotropical carnivores (Mammalia, Carnivora) in a deforestation frontier of the Brazilian Amazon. *Mammalia* 83(5), 415–427.
191. Tobler M. W., Hartley A. Z., Carrillo-Percastegui S. E. & Powell G. V. N. 2015. Spatiotemporal hierarchical modelling of species richness and occupancy using camera trap data. *Journal of Applied Ecology* 52, 413–421.
192. Torres-Romero E. J., Espinoza-Medinilla E., Lazcano-Barrero M. A. & Maffei L. 2017. Ecology and conservation of ocelot (*Leopardus pardalis*) in Northern Quintana Roo, Mexico. *HERYA* 8(1), 11–18.
193. Trolle M. & Kéry M. 2005. Camera trap study of ocelot and other sevretive mammals in the northern Pantanal. *Mammalia* 69(3-4), 405–412.
194. U.S. Fish & Wildlife Service. 2016. Recovery plan for the ocelot (*Leopardus pardalis*) first revision. Southwest Region, U.S. Fish & Wildlife Service, Albuquerque, New Mexico, 217 pp.
195. Vaughan C. 1983. A report on dense forest habitat for endangered wildlife species in Costa Rica. Unpubl. report, University Nacional, Heredia.
196. Vera R. C. 2017. Estudio Ecologico del Ocelote (*Leopardus pardalis*) utilizando el método de cámaras trampa en el distrito de Las Piedras, Madre de Dios, Perú. *Espacio y Desarrollo* 29, 153–178.

197. Wang B., Rocha D. G., Abrahams M. I., Antunes A. P., Costa H. C .M., Goncalves A. L. S., Spironello W. R., de Paula M. J., Peres C. A., Pezzuti J., Ramalho E., Reis M. L., Carvallho Jr. E., Rohe F., Macdonald D. W. & Tan C. K. W. 2019. Habitat use of the ocelot (*Leopardus pardalis*) in Brazilian Amazon. *Ecology and Evolution* 9, 5049–5062.
198. Widmer C. E., Perili M. L. L., Matushima E. R & Azevedo F. C. C. 2017. Live-trapping ocelots (*Leopardus pardalis*): traps, baits, injuries, immobilization and costs. *Biota Neotropica* 17(1), e20150125.
199. Wolff N. M., Ferreguetti A. C., Tomas W. M. & Bergallo H. G. 2019. Population density, activity pattern and habitat use of the ocelot *Leopardus pardalis* in an Atlantic Forest protected area, Southeastern Brazil. *Hystrix, the Italian Journal of Mammalogy* 31(1), 120–125.
200. Woolridge R. L., Foster R. J. & Harmsen B. J. 2019. The functional role of scent marking in the social organization of large sympatric Neotropical felids. *Journal of Mammalogy* 100(2), 445-453.
201. Wrublewski D. M., Kusma S. C. & Teixeira V. N. 2019. Parasitos gastrointestinais em *Puma concolor*, *Puma yagouaroundi* e *Leopardus pardalis* (Carnovra:Felidae) na Floresta Nacional de Tres Barras, SC, Brasil. *Revista Academica: Ciencia Animal* 16(1), e16004.
202. Wultsch C., Waits L. P. & Kelly M. J. 2016. A comparative analysis of genetic diversity and structure in Jaguars (*Panthera onca*), Pumas (*Puma concolor*) and Ocelots (*Leopardus pardalis*) in fragmented landscapes of a critical Mesoamerican linkage zone. *PLoS ONE* 11(3), e0151043.
203. Yaap B., Watson H. & Laurance W. F. 2015. Mammal use of *Raphia taedigera* palm stands in Costa Rica's Osa Peninsula. *Mammalia* 79, 357–362.
204. Zimbres B., Peres C. A., Penido G. & Machado R. B. 2018. Thresholds of riparian forest use by terrestrial mammals in a fragmented Amazonian deforestation frontier. *Biodiversity and Conservation* 27, 2815–2836.